




BHAGWATI ENGINEERS

H-FRAME HYDRAULIC PRESS

'ANASUYA' presents to you a range of most technically advanced **H-FRAME HYDRAULIC PRESS** with all latest features as per international standards.



Features:

- | | |
|------------------------|--|
| » Low initial cost | » Accurate repetition |
| » Low tooling cost | » User friendly |
| » Easy & Quick setting | » Easy maintenance |
| » Enormous versatility | » Standard spares, hence easy availability |

GONDAL ROAD, NR. OCTROI POINT,
RAJKOT - 360 004. (GUJ.) INDIA,
tel : +91 - 281 - 2372576,
e-mail: bhagwatiengg@hotmail.com



- ‘ANASUYA’- H Frame press structures are of various capacities & are available for different types of works. Steel plates & designed columns are welded together for making ‘H’-Frame.
- The main advantage of ‘H’-frame presses are differ then other presses due to its variable daylight. It’s highly applicable for straightening, bending, bush fitting etc.
- H-Frame presses are manufactured in two categories as a hand operated and power operated. Hand operated press are used for frequent jobs and power operated presses in productions work. Power operated press have a power packs for minimizing a manual power with high torque & less effort.

MACHINE CONFIGURATION:

SR. NO.	CAPACITY IN TONNES	DISTANCE BETWEEN COLUMN	DISTANCE BETWEEN RAM TO BED	TRAVEL OF RAM HAND OPERATED	TRAVEL OF RAM POWER OPERATED	H.P.
1	15	750 X 200	150 X 750	115	150	2
2	25	800 X 280	175 X 800	125	175	3
3	40	950 X 375	175 X 900/1500	125	175	3
4	60	1010 X 425	175 X 900/1800	150	200	5
5	75	1125 X 450	175 X 900	150	200	5
6	100	1200 X 500	175 X 900	-	200	5
7	150	1300 X 600	200 X 1000	-	225	7.5
8	200	1400 X 700	400 X 1200	-	225	10

STANDARD FEATURES



- The pressure can be regulated by pressure control valve.
- Variable length of stroke is available.
- Single or continuous stroke selection.
- Inching upward and down ward movement of Ram
- Bed adjustment motorised (optional)
- Two hand push button operation (optional)



BHAGWATI ENGINEERS

STANDARD EQUIPMENT:

- Two Nos. V-Blocks
- Two Nos. Table Supporting Pins
- One Pressure Gauge
- Lifting Gear Box Handle
- Two Nos. Rollers (Only with above 60 tonnes Capacity Hydraulic Press)



GONDAL ROAD, NR. OCTROI POINT,
RAJKOT - 360 004. (GUJ.) INDIA,
tel : +91 - 281 - 2372576,
e-mail: bhagwatiengg@hotmail.com