

HYDRAULIC IRON WORKER

‘ANASUYA’ presents to you a range of most technically advanced IRON WORKER with all latest features as per international standards.




Features:

- | | |
|------------------------|--|
| » Low initial cost | » Precise repetition |
| » Low tooling cost | » User friendly |
| » Easy & Quick setting | » Easy maintenance |
| » Enormous versatility | » Standard spares, hence easy availability |



‘ANASUYA’- HYDRAULIC IRON WORKER ‘ are designed & built to cut various material with different sections in easy & efficient manner, The machine is provided with different operation station in order to meet wide variety of cuttings; Sections like angle, channel, flat & plate can be cut very accurately & precisely. Moreover machine is also having one station where differing pressing operation like punching, blanking, piercing & bending can be done.



MACHINE CONFIGURATION

MODELS	AIW-1	AIW-2	AIW-3
TONNAGE	60-TON	80-TON	120-TON
CHANNEL / I-BEAM	100 X 50	150 X 75	200 X 100
ANGLE SHEAR	100 X 100 X 06	100 X 100 X 10	130 X 130 X 08
ROUND / SQUARE SHEAR	38	45	60
FLAT BAR SHEAR	300 X 12	430 X 15	530 X 18
PUNCHING	DIA 40 X 06	DIA 40 X 06	DIA 50 X 08
NOTCHING	50 X 40 X 05	60 X 40 X 06	80 X 60 X 06
MOTOR H.P.	5 / 1440	7.5 / 1440	15 / 1440
WIEGHT appr.	2750	3250	4000

STANDARD ACCESSORES	OPTIONAL ACCESSORIES
<ul style="list-style-type: none"> *BLADE FOR ANGLE CUTTING, CHANNEL CUTTING, FLAT CUTTING & NOTCHING. *FINE STROKE ADJUSTMENT ROD WITH LIMIT SWITCH. *HYDRAULIC JOB CLAMPING DEVICE. *ELECTRIC CONTROL PANEL *PAIR OF FOOT SWITCH * MANUAL BACK GUAGE 	<ul style="list-style-type: none"> *BLADE FOR ROUND BAR, SQUARE /BAR CUTTING, I-BEAM SECTION CUTTING. *FIRST FILL OF HYDRAULIC OIL. * BACK GUAGE WITH ELE. SWITCH. *LIGHT.

